



DATE

TOTAL
LENGTH

TAIL
VERTE-
BRAE

HIND
FOOT

REMARKS

Mammal Collection

Republic of Guatemala, C.A.

Charles O. Handley, JR.

732 - 1158

15 Mar. 1947 — 23 May 1947

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	ear	REMARKS		
275572	732	♀	Baiomys musculus	south side, 4200 ft. Guatemala, Dept. Guatemala, Lake Amatitlan	15 March 1947	127	55	16	12	Thicket, dry oak woodland, marsh steep grassy hillside, corn stubble,	skin + skull
275573	733	♀	"	"	"	116	45	16	12	"	"
275574	734	♂	"	"	"	116	45	16	13	"	"
275575	735	♂	"	"	"	118	47	15	12	"	"
275576	736	♀	"	"	"	123	48	16	12	"	"
275577	737	♂	"	"	"	110	45	15	12	"	"
275578	738	♀	"	"	"	131	54	16	12	"	"
275579	739	♀	"	"	"	124	48	16	12	"	"
275580	740	♂	"	"	"	114	48	15	13	"	"
275581	741	♂	"	"	"	122	48	16	13	"	"
275582	742	♀	"	"	"	113	46	15	13	"	"
275583	743	♀	"	"	"	128	54	16	12	"	"
275406	744	♂	Reithrodontomys mexicanus orinus	"	"	170	97	19	18	Thicket surrounded by grass	skin + skeleton
	745	♀	Sigmodon hispidus Oryzomys couesi	"	"	244	115	28	19	tall grass on steep hillside	"
275584	746	♂	Baiomys musculus	"	"	120	50	16	13	"	skeleton only
275407	747	♀	Reithrodontomys mexicanus orinus	"	16 Mar 1947	179	98	18	15	dry oak woodland	skin + skull
275408	748	♀	" " "	"	"	216	126	20	15	"	"
275409	749	♀	" " "	"	"	194	103	19	15	"	"
275672	750	♂	Marmosa mexicana	"	"	270	159	20	24	"	skin + skeleton
275470	751	♂	Peromyscus mexicanus	"	"	237	123	28	21	"	skin + skull
275477	752	♂	"	"	"	236	124	24	-	"	"
	753	♂	"	"	"	245	132	27	22	"	skin + skeleton
275611	754	♀	Sigmodon hispidus	"	"	250	110	33	19	Marsh at edge of lake	skin + skull
275612	755	♂	"	"	"	208	92	28	-	"	"
275613	756	♂	"	"	"	260	115	30	20	"	"
275614	757	♂	"	"	"	228	108	29	19	"	"

	NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS
275252	758	♀	Liomys salvini	Guatemala, Lake Amatitlan, south side, 4200 ft.	16 Mar 1947	234	125	31	15	dry oak wooded hillside, ^{skin + skull} rocks, logs, etc.
275253	759	♀	"	"	"	210	110	27	14	"
275254	760	♀	"	"	"	224	115	27	15	"
275255	761	♀	"	"	"	213	114	28	16	"
275256	762	♂	"	"	"	238	128	29	15	" skin + skeleton
275257	763	♀	"	"	"	228	122	29	15	" skin + skull
275258	764	♂	"	"	"	212	117	27	16	"
275259	765	♂	"	"	"	236	122	28	14	"
275260	766	♀	"	"	"	209	114	26	15	"
275261	767	♀	"	"	"	247	124	30	-	"
275262	768	♂	"	"	"	235	121	30	15	"
275263	769	♂	"	"	"	245	131	28	15	"
	770	♂	Peromyscus mexicanus	Esquintla, 1 mi. W. Masagua, Rio Guacalate, 400 ft.	20 Mar 1947	205	100	23	19	moist forest (oak, palm, etc) skin only
275480	771	♀	"	"	"	227	111	24	20	" skin + skull
275481	772	♂	"	"	"	229	114	25	-	"
	773	♀	Nyctomys sumichrasti	"	"	230	120	22	16	" skin + skeleton
275264	774	♀	Liomys crispus (?)	"	"	212	105	29	14	"
275265	775	♂	"	"	"	-	-	27	13	" skin + skull
275266	776	♂	"	"	"	220	110	28	14	"
275267	777	♂	"	"	"	224	104	28	-	"
275268	778	♂	"	"	"	202	105	26	14	"
275231	779	♀	Heterogeomys hispidus	"	"	290	81	47	-	lush rain forest
275615	780	♂	Sigmodon hispidus	"	"	250	110	30	17	grass in river bottomland
275616	781	♀	"	"	"	250	105	29	18	"
275617	782	♂	"	"	"	229	96	28	18	"

	NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTEBRAE	HIND FOOT	EAR	REMARKS	Preparation
	275618	♂	<i>Sigmodon hispidus</i>	Esquintla, 1 mi. W. Masaguan Rio Guacate, 400 ft.	20 Mar. 1947	240	85	30	18	grass in river bottomland	skin + skull
	275619	♀	"	"	"	247	105	30	18	"	"
	275620	♂	"	"	"	265	118	31	20	"	"
	275363	♂	<i>Oryzomys fulvescens</i>	Esquintla, Finca Los Arcos	21 Mar. 1947	185	105	21	13	rain forest	skin + skeleton
	275619	♂	<i>Peromyscus hondurensis</i> (?)	"	"	218	106	26	17	"	"
	275621	♀	<i>Sigmodon hispidus</i>	"	"	207	88	28	16	grass at edge of rain forest	skin + skull
	275622	♀	"	"	"	190	78	27	17	"	skin + skeleton
	275623	♀	"	"	"	body 85	-	25	15	in dense rain forest	skin + skull
	275624	♂	"	"	"	280	115	31	18	in citronella field	"
	275269	-	<i>Liomys</i> sp. (?)	"	22 Mar. 1947	-	-	-	-	in thicket at edge of citronella field back had green sheen - eaten by ants	skull only
	275270	♂	<i>Liomys crispus</i> (?)	"	"	head + body 275	-	20	12	thicket at edge of citronella field	skin + skull
	275271	♀	"	"	"	205	98	28	14	"	"
	275482	♂	<i>Peromyscus mexicanus</i>	"	"	230	117	24	-	wooded stream bank	"
	275483	♂	"	"	"	222	109	24	20	"	"
	275484	♀	"	"	"	226	109	24	-	"	"
	275485	♂	"	"	"	194	94	23	19	"	"
	275625	♀	<i>Sigmodon hispidus</i>	"	"	134	59	21	14	pasture	"
	275626	♂	"	"	"	230	98	29	17	"	"
	275627	♀	"	"	"	227	89	27	17	"	"
	802	♂	<i>Odocoileus virginianus</i> ^{nelsoni}	"	"	1320	210	455	125	height at shoulder 790 brush land (4 points)	no skull skin + antlers
	803	♂	<i>Urocyon cinereoargenteus</i>	Esquintla, Finca San Victor 615 ft.	"	900	360	115	60	pasture [dogs ate skin + skull while they were drying]	skull only
	275661	♀	"	Esquintla, Finca Valle Lirios 82 ft.	23 Mar. 1947	890	355	110	65	gallery forest	skin + skull
	275662	♂	"	"	"	840	342	115	60	"	"
	275670	♂	<i>Odocoileus virginianus</i> ^{nelsoni}	"	24 Mar. 1947	1110	190	330	125	scrub forest	"
	275663	♀	<i>Urocyon cinereoargenteus</i>	"	"	920	390	120	65	" (lactating)	"

NO.	SEX	NAME	LOCALITY
275678	♂	<i>Didelphis mesamericana</i>	Esquintla, Finca Valle-Lirios, 82 ft.
275272	♀	<i>Liomys crispus</i> (?)	"
275273	♂	"	"
275274	♂	"	"
275275	♂	"	"
275276	♂	"	"
275665	♀	<i>Nasua narica</i>	"
275666	♀	"	"
275277	♀	<i>Liomys</i>	San Jose', Esquintla, 15 f
275278	♀	"	"
275279	♀	"	"
275280	♀	"	"
275410	♂	<i>Reithrodontomys gracilis pacificus</i>	"
x821	♂	<i>Peromyscus mexicanus</i>	"
x822	♂	<i>Sigmodon hispidus</i>	"
275629	♀	"	"
275659	♂	<i>Sylvilagus gabbi</i>	"
275220	♂	<i>Sciurus variegatorides</i>	"
275673	♀	<i>Marmosa mexicana</i>	"
x827	♂	<i>Oryzomys coesi</i>	"
x828	♀	"	"
275367	♂	<i>Oryzomys fulvescens</i>	"
275281	♀	<i>Liomys</i>	"
275282	♀	"	"
275630	♀	<i>Sigmodon hispidus</i>	"
x832	♀		

DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	ear	REMARKS	Preparation
24 Mar 1947	820	385	63	55	scrub forest	skin+skull
25 Mar 1947	219	102	28	—	Rain forest at bases of palmeloes	skull only skin+skull
"	219	108	27	—	"	skin+skull
"	219	108	27	14	"	"
"	231	114	29	14	"	"
"	247	128	28	14	"	"
"	1200	520	95	37	jungle	"
"	1115	525	98	34	"	"
2 Apr 1947	204	98	26	14	sedge and thicket, open	"
"	182	92	26	12	"	"
"	178	88	25	11	" 4emb 15mm	"
3 Apr 1947	212	106	26	14	Relatively damp, dense jungle 4emb 11mm	"
"	163	94	18	14	"	skin + skeleton
"	heads+body 115	—	25	20	"	"
"	229	97	29	18	grass at edge of jungle	"
"	192	85	25	16	"	skin+skull
"	395	—	80	51	road thru jungle - jacklight	"
"	565	309	68	36	edge of jungle	"
4 Apr 1947	280	157	20	—	relatively moist, brushy forest	skin + skeleton
"	202	109	27	—	"	"
"	170	85	24	15	"	"
"	184	105	21	14	"	skin + skull
"	203	96	27	14	"	"
"	223	105	27	14	" 5emb X 16mm	"
"	279	122	30	20	weedy cleared land 2emb X 12mm	"

	NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	Preparation
275487	833	♂	Peromyscus mexicanus	^C Esquintla San José 15 ft.	4 Apr 1947	208	100	24	-	Damp forest 15 ft.	skin + skull
275488	834	♂	"	"	"	238	112	24	20	"	"
275489	835	♀	"	"	"	238	118	24	20	"	"
275490	836	♀	"	"	5 Apr 1947	241	120	25	21	"	"
275491	837	♀	Ototylomys phyllotis	"	"	302	149	27	27	under log in damp forest	skin + skeleton
275492	838	♀	Sigmodon hispidus	"	"	193	84	26	16	grass at edge of jungle	skin + skull
275283	839	♀	Liomys	"	"	198	97	26	14	damp forest 15 ft.	"
275368	840	♂	Oryzomys caesi	"	"	205	114	27	14	"	"
275369	841	♂	"	"	"	194	99	25	14	"	"
275370	842	♂	"	"	6 Apr. 1947	181	88	25	15	"	"
275371	843	♀	"	"	"	217	112	24	17	"	"
275491	844	♂	Peromyscus mexicanus	"	"	237	112	25	21	"	"
275284	845	♀	Liomys	"	"	178	85	24	13	"	"
275221	846	♀	Sciurus variegatoides	"	"	530	275	64	38	"	"
275222	847	♂	"	"	"	515	260	58	33	"	"
275223	848	♀	"	"	"	520	265	64	30	"	"
275224	849	♀	"	"	"	550	290	65	35	"	"
275372	850	♀	Oryzomys fulvescens	"	7 Apr. 1947	172	97	21	13	"	"
275373	851	♀	Oryzomys coesi	"	"	250	137	27	16	"	4 emb 9 mm skin + skeleton
275374	852	♀	" ^{gracilis}	"	"	197	98	25	15	"	3 emb 25 mm skin + skull
275411	853	♀	Reithrodontomys pacificus	"	"	167	87	17	14	"	3 emb 8 mm "
275285	854	♀	Liomys	"	"	222	108	27	15	"	"
275671	855	♂	Odocoileus virginianus	"	"	-	-	-	-	clearing at edge of airstrip	skull only
275492	856	♂	Peromyscus mexicanus	Quetzaltenango Finca Helvetia, 3500 ft.	11 Apr 1947	215	111	25	20	lush second growth forest, damp 3500 ft.	skin + skull
275493	857	♀	"	"	"	190	90	24	20	"	"

NO.	SEX	NAME	LOCALITY
275494	♂	<i>Peromyscus mexicanus</i>	Quetzaltenango Finca Helvetia, 3500 ft.
275495	♀	"	"
275469	♀	"	"
861	♂	"	"
275232	♀	<i>Heteromys goldmani</i>	"
275233	♂	"	"
275234	♀	"	"
275375	♀	<i>Oryzomys fulvescens</i>	"
275376	♂	"	"
275377	♂	"	"
275664	♀	<i>Urocyon cinereoargenteus</i>	" 5000 ft.
275225	♂	<i>Sciurus leopoldi</i>	" 5500 ft.
275412	♂	<i>Reithrodontomys mexicanus howelli</i>	"
871	♂	<i>Oryzomys hyllocetes</i>	"
275379	♂	"	"
275380	♀	"	"
275381	♂	"	"
275382	♂	"	"
275235	♀	<i>Heteromys</i>	"
275236	♀	"	"
275237	♀	"	"
275238	♂	"	"
275239	♂	"	"
275240	♀	"	"
275241	♀	"	"

DATE	TOTAL LENGTH	TAIL VERT-BRAE	HIND FOOT	REMARKS	
11 Apr 1947	214	103	24	—	3500 ft. Lush, damp second growth forest
"	190	91	23	20	"
"	211	104	23	19	"
"	233	109	25	—	"
"	315	179	40	21	" 2 emb. 30 mm
"	336	191	38	20	"
"	235	125	33	17	"
"	188	103	21	13	"
"	189	104	21	14	"
"	179	98	21	13	"
"	840	330	125	60	in road on brushy ridge - jack light
12 Apr 1947	370	155	54	25	5500 ft. ^{edge of forest} lush, moist, virgin cloud forest (deciduous)
"	175	104	18	15	"
"	212	116	27	18	"
"	190	103	25	16	"
"	199	105	25	16	"
"	220	118	25	17	"
"	194	100	25	16	"
"	310	177	36	20	" 2 emb 13 mm
"	305	174	34	20	" 2 emb 8 mm
"	332	198	38	20	" 2 emb 18 mm
"	head + body 140	—	37	19	"
"	head + body 135	—	35	20	"
"	304	162	37	20	"
"	236	117	31	18	"

U. S. GOVERNMENT PRINTING OFFICE: 1944:30										
NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	REMARKS		
275498	♀	<i>Peromyscus guatemalensis</i>	Quetzaltenango 5500 ft. Finca Helvetia	12 Apr 1947	269	139	27	23	lush, moist, virgin deciduous cloud forest	skin + skull
275499	♂	"	"	"	271	145	28	23	"	"
275500	♀	"	"	"	295	159	28	25	"	skin + skeleton
275501	♂	"	"	"	259	135	28	24	"	skin + skull
275502	♂	"	"	"	250	135	28	23	"	"
275503	♂	<i>Peromyscus mexicanus</i>	" 3500 ft.	13 Apr. 1947	235	119	24	21	lush, damp, second growth forest	"
275242	♀	<i>Heteromys goldmani</i>	"	"	266	145	39	19	"	"
275383	♂	<i>Oryzomys fulvescens</i>	"	"	210	108	26	16	"	"
275504	♂	<i>Peromyscus mexicanus</i>	"	"	228	115	25	20	"	skin + skull
275505	♂	<i>Peromyscus guatemalensis</i>	" 3500 ft.	14 Apr. 1947	273	144	28	25	lush, moist, virgin deciduous cloud forest	skin + skull
275506	♀	"	"	"	257	138	30	24	"	"
275507	♂	"	"	"	264	135	29	26	"	"
275243	♀	<i>Heteromys goldmani</i>	"	"	228	180	39	21	"	"
275244	♀	<i>Heteromys goldmani</i>	"	"	310	172	36	21	"	"
275245	♀	"	"	"	297	164	36	20	"	"
275384	♀	<i>Oryzomys hyllocetes</i>	"	"	188	101	25	16	"	skin + skull
275385	♂	"	"	"	187	96	25	16	"	"
275386	♀	"	"	"	214	111	25	17	"	"
275387	♀	"	"	"	212	110	24	17	"	"
275388	♂	"	"	"	197	103	23	—	"	"
275389	♀	"	"	"	215	112	26	17	"	"
275390	♂	"	"	"	head + body 79	—	23	15	"	"
275391	♀	"	"	"	170	90	22	15	"	"
275392	♂	"	"	"	head + body 77	—	24	16	"	"
275393	♂	"	"	"	171	91	23	16	"	"

NO.	SEX	NAME	LOCALITY
			Jutiapa 2400 ft.
908	-	<i>spilogale angustifrons</i>	Lake Atescatempa
275413 909	♀	<i>Reithrodontomys gracilis anthonyi</i>	"
275508 910	♂	<i>Peromyscus</i> ^{<i>hondurensis?</i>} <i>mexicanus</i>	"
275327 911	♀	<i>Liomys heterothrix</i>	"
275328 912	♀	"	"
275329 913	♂	"	"
275330 914	♀	"	"
275331 915	♀	"	"
275332 916	♀	"	"
275333 917	♀	"	"
275334 918	♀	"	"
275335 919	♀	"	"
275336 920	♀	"	"
275337 921	♀	"	"
275338 922	♀	<i>Liomys pictus</i>	"
275339 923	♀	<i>Liomys heterothrix</i>	" 2100 ft.
275340 924	♀	"	"
275509 925	♀	<i>Peromyscus</i> ^{<i>hondurensis(?)</i>} <i>mexicanus</i>	"
275394 926	♀	<i>Oryzomys couesi</i>	"
275585 927	♀	<i>Baiomys musculus</i>	" 2300 ft.
275586 928	♀	"	"
275587 929	♂	"	"
275588 930	♀	"	"
275589 931	♂	"	"
275590 932	♀	"	"

DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	PREP.
18 Apr 1947	-	-	-	-	lake, 2400 ft. East side of lake dry oak and thorn forest on ridge above	SKIN + STATH SKIN + SKIN
"	163	87	17	-	"	"
"	211	115	24	-	"	"
"	head+body 106	-	27	15	"	"
"	230	125	26	15	"	"
"	233	118	26	16	"	"
"	230	121	28	15	"	"
"	217	114	27	14	"	"
"	head+body 104	-	26	15	"	"
"	245	129	28	15	"	"
"	225	115	26	15	"	"
"	210	110	27	15	"	"
"	177	93	25	12	"	"
"	139	69	20	-	"	"
"	222	111	26	15	"	"
19 Apr 1947	224	110	26	14	along river in gorge 2.3 mi. N of lake relatively moist grove of large trees	"
"	214	111	27	14	"	"
"	245	124	26	-	"	"
"	264	140	29	16	"	"
20 Apr 1947	113	44	15	13	on hill at SE corner of lake, 2300 ft. dry thickets + edge of broomsedge field	"
"	112	46	15	12	"	"
"	114	46	15	13	"	"
"	120	48	16	12	"	"
"	114	44	15	12	"	"
"	114	44	14	12	"	"

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	Preparation
275591	♂	<i>Blomys musculus</i>	Jutiapa 1300 ft. Lake Atescatempa	20 Apr 1947	111	43	15	12	on hill at SE corner of lake 2300 ft. dry thickets & edge of broomsedge field	SKIN & SKULL
275592	♂	"	"	"	119	49	15	12	"	"
275593	♂	"	"	"	112	42	15	11	"	"
275594	♀	"	"	"	118	46	15	-	"	"
275414	♂	<i>Reithrodontomys fulvescens</i> ^{chiapensis}	"	"	156	99	18	13	at edge of broomsedge field, 2300 ft.	"
275510	♂	<i>Peromyscus</i>	"	"	231	119	24	20	thickets of cactus & thorns	"
275511	♀	"	"	"	head+body 112	-	25	-	"	"
275512	♀	"	"	"	230	119	24	-	"	"
275513	♂	"	"	"	226	116	25	27(?)	"	"
275514	♂	"	"	"	236	126	25	-	"	"
275515	♀	"	"	"	237	127	25	-	"	"
275516	♀	"	"	"	238	123	23	19	"	"
275517	♀	"	"	"	249	133	25	-	"	"
275632	♂	<i>Sigmodon hispidus</i>	"	"	head+body 140	-	29	20	broomsedge field	"
275633	♀	"	"	"	240	108	31	19	"	"
275634	♀	"	"	"	235	110	30	19	"	"
275341	♀	<i>Liomys heterothrix</i>	"	"	218	110	27	14	thickets of cactus & thorns	"
275342	♂	"	"	"	215	106	27	14	"	"
275343	♀	"	"	"	229	116	25	15	"	"
275344	♀	"	"	"	211	105	27	-	"	"
275345	♂	"	"	"	253	129	28	15	"	"
275346	♀	"	"	"	head+body 103	-	26	15	"	"
275674	♂	<i>Metachirops opossum</i>	"	"	176	79	19	18	along river in gorge 23 mi. N. of lake	"
275675	♂	"	"	"	171	75	18	19	"	"
275676	♀	"	"	"	620	335	45	40	" 7 yr. in pouch	"
275677	♀	"	"	"	645	350	45	39	" 5 yr. "	"

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTEBRAE	HIND FOOT	ear	REMARKS	Preparation
275415	♀	<i>Reithrodontomys australis</i>	Quiché 7,200 ft. San Pedro Jocopitz (3.2 mi. N.)	23 Apr 1947	146	83	18	16	semi-open oak + pine scrub + grass	skin + skull
275416	♀	" <i>s. dorsalis</i>	"	"	139	77	17	15	"	"
275417	♀	" "	"	"	170	93	19	15	"	skin + skeleton
275418	♂	" "	"	"	167	91	19	17	"	skin + skull
275419	♀	" "	"	"	140	79	17	15	"	"
275420	♀	" "	"	"	148	82	18	15	"	"
275421	♂	" "	"	"	143	76	17	15	"	"
275518	♀	<i>Peromyscus boylii</i>	"	"	176	86	22	21	stone ridge in oak + pine scrub	"
275519	♂	"	"	"	176	85	22	20	"	"
275520	♀	"	"	"	180	93	22	21	"	"
275521	♂	"	"	"	180	82	21	20	"	"
275522	♀	"	"	"	head + body 101	-	22	20	"	"
275523	♂	"	"	"	204	100	23	20	"	"
275524	♂	"	"	"	205	105	22	22	"	"
275526	♂	"	"	"	201	98	23	20	"	skin + skeleton
275527	♀	"	"	"	head + body 94	-	22	21	"	skin + skull
275422	♂	<i>Reithrodontomys fulvescens</i> ^{Chiapensis}	Quiché 4300 ft. Sacapulas (6.9 mi. W - Rio Bla)	24 Apr. 1947	163	92	18	15	dry sandy area of cactus, thorn, + grass	"
275423	♂	" "	"	"	159	94	18	16	"	"
275424	♂	" "	"	"	160	90	19	15	"	skin + skeleton
275426	♂	" "	"	"	150	84	18	15	"	skin + skull
275427	♀	" "	"	"	159	90	18	15	"	"
275635	♂	<i>Sigmodon hispidus</i>	"	"	210	97	28	19	"	"
275595	♀	<i>Blomys musculus</i>	"	"	128	51	16	13	"	"
275596	♂	"	"	"	126	50	15	13	"	skin + skeleton

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	Preparation
275597	♀	Baiomys musculus	Quiche' 4300 ft. Sacapulus (6.9 mi. W. - Rio Blanco)	24 Apr 1947	118	50	15	12	dry sandy area with cactus, thorn + grass	skin + skull
275598	♀	"	"	"	115	48	15	12	"	"
275599	♂	"	"	"	117	47	15	12	"	"
275600	♀	"	"	"	117	50	16	12	"	"
275601	♂	"	"	"	127	53	15	12	"	"
275602	♀	"	"	"	123	54	15	13	"	"
275603	♂	"	"	"	117	49	15	12	"	"
275604	♀	"	"	"	123	49	16	12	"	"
275605	♂	"	"	"	115	49	15	13	"	"
275606	♂	"	"	"	116	50	15	13	"	"
275428	♀	Reithrodontomys ^{s. dorsalis} australis	Quiche' 2200 ft. Nebaj (10 mi. SE. - Chul)	25 Apr 1947	164	85	18	17	damp to moderately dry deciduous forest	"
275429	♂	"	"	"	166	90	19	17	"	"
275430	♀	"	"	"	172	97	19	16	"	"
275431	♂	"	"	"	164	94	19	16	"	"
275432	♀	"	"	"	174	96	18	17	"	"
275433	♀	"	"	"	158	78	19	16	"	"
275434	♀	"	"	"	176	95	19	17	"	"
275435	♂	"	"	"	155	91	17	16	"	"
275529	♂	Reithrodontomys guatemalensis	"	"	289 head + body	146	32	24	thick, damp deciduous forest	skin + skeleton
275530	♂	"	"	"	130	-	32	25	"	skin + skull
275531	♂	"	"	"	278	147	32	25	"	"
275532	♀	"	"	"	280	150	31	24	"	"
275533	♂	"	"	"	279	145	30	26	"	2 emb 30 mm
275534	♀	"	"	"	257	129	31	25	"	3 emb 15 mm
275534	♀	"	"	"	275	139	31	25	"	"

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	preparation
275535	1009 ♀	<i>Peromyscus boylii</i>	Quiche' 8200 ft. Nebaj (10 mi. SE. - Chul)	25 Apr 1947	222	110	24	22	damp to moderately dry deciduous forest	skin + skull
275536	1010 ♀	"	"	"	head + body 95	-	22	21	"	"
	1011 ♂	<i>Onychomys alfaroi</i> (?)	"	"	253	136	28	19	damp deciduous forest with mossy logs	skin + skull
275215	1012 ♂	<i>Sciurus griseoflavus</i>	"	"	500	246	65	34	dry deciduous forest	skin + skull
275216	1013 ♀	"	"	"	-	-	-	-	dry pine forest	"
275537	1014 ♀	<i>Peromyscus mexicanus</i>	"	26 Apr 1947	202	96	24	21	dry to damp deciduous forest	"
275538	1015 ♀	"	"	"	206	104	23	20	"	"
275539	1016 ♂	"	"	"	205	105	24	20	"	"
275540	1017 ♂	"	"	"	224	110	25	21	"	"
	1018 ♂	"	"	"	227	115	25	21	"	"
275542	1019 ♂	<i>Peromyscus boylii</i>	"	"	194	95	22	19	"	"
275543	1020 ♂	"	"	"	194	95	21	20	"	"
275544	1021 ♂	<i>Peromyscus guatemalensis</i>	"	"	265	133	30	24	"	"
275545	1022 ♂	"	"	"	256	129	31	24	"	"
275436	1023 ♀	<i>Reithrodontomys s. dorsalis</i>	"	"	180	104	20	16	"	"
275437	1024 ♀	" " "	"	"	160	86	19	17	"	"
275438	1025 ♀	" " "	"	"	161	87	18	16	"	"
275439	1026 ♂	" " "	"	"	170	97	19	17	"	"
275440	1027 ♂	" " "	"	"	172	91	18	17	"	"
275441	1028 ♂	" " "	"	"	178	95	20	18	"	"
275442	1029 ♂	" " "	"	"	135	76	18	14	"	"
275667	1030 ♂	<i>Mephitis m.</i>	"	"	585	305	60	30	"	"
275217	1031 ♂	<i>Sciurus griseoflavus</i>	"	"	487	243	68	32	"	"
	1032 ♂	<i>Onychomys couesi</i>	Quiche' 6400 ft. Chajul (6.2 mi. SW)	28 Apr 1947	230	124	30	16	moist bog with sedge, nushes, Royal fern	skin + skeleton
	1033 ♀	<i>Onychomys alfaroi</i>	"	"	246	130	27	19	cold moist NE slope, lush vegetation, moss 2cm 6 10mm	"
	no number	1034 !								

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	preparation
275246	♀	<i>Heteromys desmarestianus</i>	Quiche' 6400 ft. Chajul (6.2 mi. SW)	28 Apr 1947	304	174	36	19	cold, moist NE slope, with lush vegetation, moss	skin & skull
275247	♀	"	"	"	259	139	35	17	"	"
275248	♀	"	"	"	290	162	36	17	"	skin & skeleton
275249	♂	"	"	"	294	159	37	19	"	skin & skull
275443	♂	<i>Reithrodontomys mexicanus</i> <i>microdon howelli</i>	"	"	176	100	19	15	"	"
275444	♂	<i>Reithrodontomys mexicanus</i> <i>howelli</i>	"	"	165	96	19	15	"	"
275445	♀	<i>Reithrodontomys s. dorsalis</i> <i>australis</i>	"	"	156	88	19	16	"	"
275446	♀	" " "	"	"	161	90	18	16	"	"
275447	♂	" " "	"	"	150	84	19	16	"	"
275448	♂	" " "	"	"	158	85	18	16	"	"
275449	♂	" " "	"	"	149	84	18	16	"	"
275450	♂	" " "	"	"	153	83	19	15	"	"
275607	♂	<i>Scotinomys teguina</i>	Quiche' 4600 ft. Cotzal (7.1 mi. E - Rio Cotzal)	29 Apr 1947	129	53	18	15	damp deciduous second growth	skin & skeleton
275451	♀	<i>Reithrodontomys s. dorsalis</i> <i>australis</i>	"	"	159	84	18	15	dry deciduous second growth	skin & skull
275452	♀	" " "	"	"	164	90	19	17	"	"
275453	♂	" " "	"	"	160	86	18	16	"	"
275454	♀	" " "	"	"	175	96	20	16	"	"
275455	♂	" " "	"	"	167	91	19	17	"	"
275456	♂	" " "	"	"	166	90	19	15	"	"
275398	♂	<i>Sigmodon couesi</i>	"	"	207	112	26	17	along brook in dry deciduous second growth	"
275399	♀	"	"	"	210	107	28	16	dry deciduous second growth	"
275546	♂	<i>Peromyscus boylii</i>	"	"	213	105	26	19	"	"
275547	♀	<i>Peromyscus guatemalensis</i>	"	"	281	150	32	26	"	"
275548	♂	"	"	"	255	141	30	25	"	"
275549	♂	"	"	"	281	144	32	26	"	"

NO.	SEX	NAME	LOCALITY
275551	♀	Peromyscus guatemalensis	Quiché 4600 ft. Cotzal (7.1 mi. E; Rio Cotzal)
275552	♂	"	"
275218	♀	Sciurus griseoflavus	Quiché 8000 ft. Nebaj (12 mi. SE; Chimal)
275636	♀	Sigmodon hispidus	"
275637	♂	"	"
275457	♀	Reithrodontomys ^{s. dorsalis} australis	"
275458	♀	" " "	"
275459	♀	" " "	"
275460	♀	" " "	"
275219	♀	Sciurus griseoflavus	Quiché 6400 ft. Sacapulus (5 mi. E)
275461	♂	Reithrodontomys ^{s. dorsalis} australis	Huehuetenango Chamal (2 mi. S) 11,000 ft.
275462	♀	" " "	"
275463	♀	" " "	"
275553	♀	Peromyscus boylii	"
275554	♀	"	"
275555	♂	"	"
275556	♂	"	"
275557	♂	"	"
275638	♂	Neotoma solitaria	"
275679	♀	Sorex verzeppaci	Huehuetenango 10,500 ft. Chamal (5 mi. N)
275680	♀	"	"
275558	♀	Peromyscus boylii	"
275464	♂	Reithrodontomys ^{microdon} microdon	"

DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	preparation
29 Apr 1947	300	152	31	25	dry deciduous second growth	skin + skull
"	265	135	31	23	"	"
"	285	150	32	25	"	"
"	502	249	68	35	dry pine grove	"
30 Apr 1947	265	120	33	19	tall grass in pines at edge of wheat	"
"	263	122	32	21	"	"
"	163	90	19	18	"	"
"	166	94	19	17	"	"
"	162	89	19	17	"	"
"	150	84	19	18	"	"
"	544	266	69	35	arid mountain side - scattered pine + oak	skin + skull
1 May 1947	165	89	19	16	moss covered boulders in burned over pine forest	"
"	158	83	19	17	"	"
"	159	86	19	16	"	"
"	199	99	23	19	"	"
"	199	101	23	20	"	"
"	208	109	24	21	"	"
"	204	105	23	20	"	"
"	204	101	23	21	"	"
"	359	179	38	28	"	"
"	356	167	38	30	"	skin + skeleton
2 May 1947	115	45	14	10	moist pine forest on cold north slope; in thick ground cover of perennial woody herbs	"
"	127	51	15	10	"	"
"	215	110	24	21	"	skin + skull
"	181	109	19	17	"	skin + skeleton

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	ear	REMARKS	preparation
275 465	1085	♀	<i>Reithrodontomys s. dorsalis</i> Huchuetenango 10500 ft.	2 May 1947	154	84	19	17	moist pine forest on cold north slope; in thick ground cover of perennial woody herbs	skin + skull
275 466	1086	♂	" " "	"	167	91	20	15	"	"
275 467	1087	♂	" " "	"	154	81	19	17	"	"
275 468	1088	♂	" " "	"	163	88	19	17	"	skin + skeleton
275 469	1089	♂	" " "	"	164	95	20	17	"	skin + skull
275 640	1090	♂	<i>Microtus guatemalensis</i>	"	138	28	20	16	"	"
275 641	1091	♂	"	"	141	35	21	17	"	"
275 642	1092	♂	"	"	145	36	20	16	"	"
275 643	1093	♂	"	"	141	34	20	18	"	"
275 644	1094	♂	"	"	153	40	19	17	"	"
275 645	1095	♂	"	"	149	34	20	17	"	"
275 646	1096	♂	"	"	147	37	20	16	"	"
275 647	1097	♂	"	"	145	40	20	16	"	"
275 648	1098	♀	"	"	140	36	20	16	"	"
275 649	1099	♀	"	"	143	36	20	17	"	"
275 650	1100	♀	"	"	138	33	19	15	"	"
275 651	1101	♀	"	"	141	33	21	17	"	"
275 652	1102	♀	"	"	130	30	20	16	"	"
275 653	1103	♀	"	"	137	30	19	16	"	"
275 654	1104	♀	"	"	148	37	20	17	"	skin + skeleton
275 655	1105	♀	"	"	140	35	20	16	"	skin + skull
275 656	1106	♀	"	"	131	33	20	15	"	"
275 347	1107	♀	<i>Uromys heterothrix</i> Zecapa 700 ft.	7 May 1947	220	118	25	14	arid cactus + scrub oak	"
275 348	1108	♂	Tnujillo (1 mi. E of Progreso boundary) North bank of Rio Motagua	"	248	130	27	15	"	skin + skeleton
275 349	1109	♀	"	"	179	94	26	13	"	skin + skull
275 350	1110	♂	<i>Sylvilagus floridanus</i>	"	417	54	93	70	arid thorny pasture	"

NO.	SEX	NAME	LOCALITY
275559	1111	- <i>Peromyscus</i> ?	Zacapa 700 ft. Trijillo (1 mi. E of Progreso boundary)
275350	1112	♂ <i>Atomys heterothrix</i>	Zacapa 700 ft. Cabañas (3.2 mi. E - Rio Ute)
275351	1113	♀	"
275352	1114	♀	"
275353	1115	♂	"
275354	1116	♂	"
275355	1117	♀	"
275356	1118	♀	"
275357	1119	♂	"
275358	1120	♀	"
275359	1121	♂	"
275360	1122	♀	Progreso 1870 ft. Progreso (6.8 mi. SW - Finca Cr.)
275361	1123	♂	"
275362	1124	♀	"
275400	1125	♂ <i>Onychomys couesi</i>	"
275401	1126	♀	"
275470	1127	♂ <i>Reithrodontomys fulvescens</i>	Chiapensis Baja Vera Paz 5400 ft. Salama (7.1 mi. N)
275471	1128	♀	" " "
275472	1129	♂ <i>Reithrodontomys</i>	s. <i>dorsalis</i> <i>australis</i>
275473	1130	♂	" " "
275474	1131	♀	" " "
275560	1132	♀ <i>Peromyscus boylii</i>	"
275561	1133	♀	"
275562	1134	♀	"
275563	1135	♀	"

DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	EAR	REMARKS	Preparation
7 May 47	-	-	-	-	arid cactus & oak scrub	skeleton only
8 May 1947	231	120	27	-	thorn brush fence bordering pasture - arid	skin + skull
"	230	124	27	15	"	"
"	216	118	27	15	"	"
"	205	110	28	-	"	"
"	210	115	27	14	"	"
"	212	112	27	15	"	"
"	216	114	28	14	"	"
"	220	115	27	15	"	"
"	210	115	28	15	"	"
"	233	125	28	16	"	"
9 May 1947	228	123	26	14	dry deciduous forest	"
"	239	131	29	15	"	"
"	194	105	26	14	"	"
"	233	120	30	17	moist border of sugar cane field	"
"	268	135	30	17	"	"
15 May 1947	160	95	19	15	dry pasture with scattered weed patches & scrub oaks	skin & skeleton
"	152	91	18	14	"	skin & skull
"	167	95	19	-	"	"
"	160	89	19	16	"	skin & skull
"	154	89	19	15	"	"
"	181	92	22	20	dry scrub oak thickets	skin & skull
"	183	97	22	20	"	skin & skull
"	188	91	21	19	"	"
"	184	92	23	20	"	skin & skull

NO.	SEX	NAME	LOCALITY	DATE	TOTAL LENGTH	TAIL VERTE-BRAE	HIND FOOT	REMARKS		
275564	♂	Peromyscus boylii	Baja Vera Paz 5400 ft. Salama (7.1 mi. N)	15 May 1947	181	23	22	20	dry scrub oak thickets	skin & skull
1137	♂	"	"	"	178	90	22	19	"	skin & skeleton
275566	♂	"	"	"	179	88	21	19	"	" " skull
275226	♀	Sciurus leopli	Alta Vera Paz 50 ft. Cahaboneillo Panzós (8.4 mi. E - Rio Cahabon)	17 May 1947	392	170	53	26	extremely dense tropical rain forest	" " "
275227	♂	"	"	18 May 1947	368	170	52	25	"	" " "
275228	♀	"	"	"	392	184	57	25	"	" " "
275229	♂	"	"	"	380	177	54	25	"	" " "
275230	♂	"	"	"	head & body 203	—	52	24	"	" " "
275608	♀	Scotinomys teguina	Alta Vera Paz 3500 ft. Tamahú (1.8 mi. W)	19 May 1947	134	55	19	14	moist scrubby hillside	" " "
275609	♂	"	"	"	134	58	18	—	"	" " "
1146	♂	Peromyscus guatemalensis	"	"	241	125	25	21	"	skin & skeleton
275568	♂	"	"	"	249	132	26	22	"	" " skull
275681	♂	Cryptotis goodwini	Jalapa 8400 ft. Mataquescuintla (7.2 mi. E)	22 May 1947	113	27	14	—	very damp, very thick, deciduous cloud forest	skin & skeleton
275475	♀	Reithrodontomys tenuirostris	"	"	222	129	22	20	"	" "
275402	♂	Oryzomys couesi	"	"	215	114	24	19	"	" & skull
1151	♀	"	"	"	239	129	27	19	"	skin & skeleton
275657	♂	Microtus guatemalensis	"	"	141	34	20	16	"	skin & skeleton
275658	♂	"	"	"	146	35	20	17	"	" & skull
1154	♂	Peromyscus guatemalensis	"	"	257	139	27	25	"	" & skeleton
275570	♂	"	"	"	245	128	28	24	"	" " skull
275250	♂	Heteromys	"	"	310	180	38	21	"	skin & skeleton
275251	♀	"	Guatemala 6400 ft. San Jose Pinula (6.2 mi. E)	23 May 1947	230	120	34	18	dry deciduous woods	skin & skull
275571	♀	Peromyscus guatemalensis	"	"	263	141	28	24	"	" "